





The Trend of Lighting


Naman Luminaries India


Light up Your World



 www.namanlighting.com

 naman@namanlighting.com

 [Namanluminaries](https://www.facebook.com/Namanluminaries)

 [namanluminariesindia](https://www.instagram.com/namanluminariesindia)



LED CATALOGUE MARCH 2025



The Trend of Lighting

NAMAN LUMINARIES INDIA

INTRODUCTION

"Naman Luminaries India" was established in the year 2008, has been serving a comprehensive range of smart LED lighting products. Our company holds a specialized knowledge in the development and manufacturing of LED Lights.

"Naman Luminaires India" has rich experience with wide contacts and established relations across various Indian and Multinational Companies in the Luminaires Industry.

Four decades of business expertise have enabled "Naman Luminaires India" to keep pace with the changing demands and lifestyles of consumers. We look forward to developing the cutting-edge technologies and innovating new concepts and designs, besides improving the existing products with the help of the well-equipped, qualified, and hardworking team and wish to serve the same in the coming years.

We provide a selection of High-End Indoor, Outdoor LED ranges suitable for General Lighting.

1. Ceiling Lighting
2. Surface Lighting
3. COB Spot Lighting
4. Industrial High bay Lighting
5. Street & Flood Lighting
6. LED Strip and Profile Lighting
7. Hanging Lighting
8. Smart Lighting [Remote & App Based]
9. Bollard and Pole Lighting and Many More...

We look forward to working and associating with Distributors, Dealers, Architects, Lighting Consultants, and Designers. We are grateful to our customers for their support and Collaboration towards the growth of our Company.

:Approved by:

P.W.D., B.P.T., B.M.C., MHADA, M.I.D.C. & MSME UNIT.

VISION

"Naman Luminaires India" has the vision to establish its name in the category of quality lighting manufacturers. The company is focusing to bring innovation to lighting by providing energy-efficient and cost-effective lighting solutions.

MISSION

Our mission is to provide high-quality products on time and at the best price and to provide our customers with only the best products to ensure unparalleled customer satisfaction.



The Trend of Lighting

NAMAN LUMINARIES INDIA

(A) NAMAN INDOOR COB LIGHT

1. NAMAN MOVABLE COB SPOT LIGHT




NO.	PRODUCT, MATERIAL, SHAPE	DRIVER SINGLE COLOUR	DIMENSION(mm)			LIST PRICE		
			CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	1W, ALU CASTING, RD	CHINESE 3W 300 mA	25	32	20	-	-	-
2	4W, ALU CASTING, SQ/RD	PHILIPS 3W 300mA	60	70	35	-	-	-
3	7W, ALU CASTING, SQ/RD	PHILIPS 6W 150mA	70	90	45			
4	10W, ALU CASTING SQ/RD	PHILIPS 10W 200mA	85	105	55	-	-	-
5	12W ALU CASTING, SQ/RD	PHILIPS 12W 300mA	85	105	55			
6	15W, ALU CASTING, SQ/RD	PHILIPS 15W 350mA	85	105	55			
7	15W BIG, ALU CASTING, RD	PHILIPS 15W 350mA	105	120	75			
8	20W, ALU CASTING, RD	PHILIPS 18W 300mA	105	120	75			
9	25W, ALU CASTING, RD	PHILIPS 25W 700mA	105	120	75			
10	30W, ALU CASTING, RD	PHILIPS 30W 700mA	135	145	90			
11	50W, ALU CASTING, RD	PHILIPS 50W 750mA	145	160	100			

2. NAMAN FIXED DELTA/CURVE COB SPOT LIGHT



1	1W BUTTON, ALU CASTING, RD	CHINESE 3W 300mA	25	32	20	-	-	-
2	1W DOB, ALU CASTING, RD	WITHOUT DRIVER	25	32	20	-	-	-
3	2W DOB, ALU CASTING, RD	WITHOUT DRIVER	35	42	12			
4	4W, ALU CASTING, RD	PHILIPS 3W 300 mA	33	40	38			
5	7W, ALU CASTING, RD,	PHILIPS 6W 150mA	65	70	55			
6	10W, ALU CASTING, RD	PHILIPS 10W 200mA	75	85	75			
7	12W/15W, ALU CASTING, RD	PHILIPS 12W 300mA	75	85	75			
8	18W, ALU CASTING, RD	PHILIPS 17W 400mA	85	95	90			
9	25W, ALU CASTING, RD	PHILIPS 25W 700mA	115	130	110			
10	30W, ALU CASTING, RD	PHILIPS 30W 700mA	115	130	110			
	NOTE : LENS CAN BE ADDED IF REQUIRED							

3. NAMAN FIXED DEEP COB SPOT LIGHT



1	20W, ALU CASTING, RD	PHILIPS 18W 200mA	120	140	90			
2	25W, ALU CASTING, RD	PHILIPS 25W 700mA	120	140	90			
3	30W, ALU CASTING, RD	PHILIPS 30W 700mA	145	165	110			
4	50W, ALU CASTING, RD	PHILIPS 50W 750mA	175	200	110			

4. NAMAN FIXED FLORA COB SPOT LIGHT (BLACK/WHITE BODY)



1	7W, ALU CASTING, RD	PHILIPS 6W 150mA	55	60	60			
2.	12W, ALU CASTING, RD	PHILIPS 12W 300mA	75	80	80			
3.	18W, ALU CASTING, RD	PHILIPS 18W 300mA	95	100	90			

5. NAMAN FIXED DELTA COB SPOT LIGHT (BLACK/WHITEBODY) ROSE GOLD / SILVER CHROME REFLECTOR)



1	7W, IMPORTED RG REFLECTOR, ALU CASTING, RD	PHILIPS 6W 150mA	65	75	65	-	-	-
2	12W, IMPORTED RG REFLECTOR,ALU CASTING,RD	PHILIPS 12W 300mA	75	85	65			
3	12W, INDIAN RG REFLECTOR, ALU CASTING, RD	PHILIPS 12W 300mA	75	85	65			
4	18W IMPORTED RG REFLECTOR,ALU CASTING,RD	PHILIPS 18W 300mA	85	95	90			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(A) NAMAN INDOOR COB LIGHT

6. NAMAN FIXED SILK COB SPOT LIGHT (BLACK/WHITE BODY)(BLACK/WHITE/ROSE GOLD REFLECTOR)



NO.	PRODUCT, MATERIAL, SHAPE	DRIVER SINGLE COLOUR	DIMENSION(mm)			LIST PRICE		
			CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	7W , ALU CASTING, RD	PHILIPS 6W 150mA	60	70	50			
2	12W , ALU CASTING,RD	PHILIPS 12W 300mA	75	85	65			
3	18W , ALU CASTING, RD	PHILIPS 18W 300mA	85	95	75			
NOTE : LENS & HONEYCOMB REFLECTOR CAN BE ADDED IF REQUIRED								

7. NAMAN FIXED SPARK COB SPOT LIGHT (BLACK/WHITE BODY)



1	7W , ALU CASTING, RD	PHILIPS 6W 150mA	65	68	50			
2	12W , ALU CASTING,RD	PHILIPS 12W 300mA	75	83	55			
3	18W , ALU CASTING, RD	PHILIPS 18W 300mA	85	92	60			

8. NAMAN FIXED FANCY COB SPOT LIGHT



1	12W/15W SQ, FIXED ALU CASTING, SQ	PHILIPS 12W 300mA	75	85	85			
2	12W/15W DEEP MOVABLE SQ GIMBLE, ALU CAST,SQ	PHILIPS 12W 300mA	80	90	80			
3	7W DEEP MOVABLE, ALU CASTING, RD	PHILIPS 6W 150mA	70	80	65			
4	12W/15W DEEP MOVABLE, ALU CASTING RD	PHILIPS 12W 300mA	80	90	75			
5	7W DOUBLE CURVE (2 RING), ALU CASTING, RD	PHILIPS 6W 150mA	65	80	70			
6	12W/15W DOUBLE CURVE (2 RING), ALU CAST.RD	PHILIPS 12W 300mA	95	110	70			

9. NAMAN ANTIGLARE COB SPOT LIGHT (WHITE/NICKLE BODY)



1	7W, ALU CASTING , RD	PHILIPS 6W 150mA	55	62	80			
2	12W , ALU CASTING , RD	PHILIPS 12W 300mA	65	72	80			
3	18W , ALU CASTING, RD	PHILIPS 18W300m	75	82	80			

10. NAMAN DEEP CONE COB SPOT LIGHT



1	7W, ALU CASTING, RD	PHILIPS 6W 150mA	30	40	60			
2	12W, ALU CASTING, RD	PHILIPS 12W 300mA	50	60	80			
3	18W, ALU CASTING, RD	PHILIPS 18W 300mA	65	75	100			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(A) NAMAN INDOOR COB LIGHT

11. NAMAN LOW DEEP COB SPOT LIGHT



NO.	PRODUCT, MATERIAL, SHAPE	DRIVER SINGLE COLOUR	DIMENSION(mm)			LIST PRICE		
			CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	6W LX, ALU CASTING RD, MOVABLE	IMPORTED	75	85	25			
2	9W LX, ALU CASTING, RD, MOVABLE	IMPORTED	90	105	25			
3	16W LX, ALU CASTING, RD, MOVABLE	IMPORTED	100	120	25			
4	7W, WITH NICKLE REF, ALU CASTING, RD	6W 150mA PHILIPS	55	65	45			
5	12W, WITH NICKLE REF, ALU CASTING, RD	12W 300mA PHILIPS	75	85	45			
6	18W, WITH NICKLE REF, ALU CASTING, RD	18W 300mA PHILIPS	95	105	60			

12. NAMAN FRONT OPEN COB SPOT LIGHT (WHITE BODY)(GUN METAL REFLECTOR)



1	7W (WHITE), ALU CASTING , RD	PHILIPS 6W 150mA	55	65	80			
2	12W (WHITE), ALU CASTING , RD	PHILIPS 12W 300mA	75	85	85			
3	18W (WHITE), ALU CASTING, RD	PHILIPS 18W300mA	85	110	120			
NOTE : TRIMLESS RING EXTRA								

13. NAMAN MAGIC LASER BLADE COB SPOT LIGHT (40 mm LENS WIDTH)




1	4W (1 LED), ALU CASTING, SQ	PHILIPS 3W 300mA	42X42	52X52	55			
2	12W (3 LED), ALU CASTING, RECTANGLE	OSRAM 15W 550mA	120X42	128X52	55			
3	16W (4 LED), ALU CASTING, SQ	OSRAM 15W 550mA	80X80	90X90	55			
4	20W (5 LED), ALU CASTING, RECTANGLE	PHILIPS 21W 500mA	195X42	205X52	55			

14. NAMAN REGULAR LASER BLADE COB SPOT LIGHT (30 mm LENS WIDTH)



1	2W (1 LED), ALU CASTING, SQ	PHILIPS 3W 300mA	37X37	45X45	50			
2	4W (2 LED), ALU CASTING, RECTANGLE	PHILIPS 3W 300mA	68X37	75X45	50			
3	10W (5 LED), ALU CASTING, RECTANGLE	PHILIPS 8W 200mA	140X37	148X45	50			

15. NAMAN SLIM LASER BLADE COB SPOT LIGHT (20 mm LENS WIDTH)



1	4W (2 LED), ALU CASTING, RECTANGLE	PHILIPS 3W 300mA	46X26	52X32	40			
2	6W (3 LED), ALU CASTING, RECTANGLE	PHILIPS 6W 150mA	56X26	62X32	40			
3	10W (6 LED), ALU CASTING, RECTANGLE	PHILIPS 8W 200mA	102X26	108X32	40			
4	20W (12 LED), ALU CASTING, RECTANGLE	PHILIPS 17W 400mA	198X26	204X32	40			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(A) NAMAN INDOOR COB LIGHT

16. NAMAN DOUBLE COB SPOT LIGHT



NO.	PRODUCT, MATERIAL, SHAPE	DRIVER SINGLE COLOUR	DIMENSION(mm)			LIST PRICE		
			CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	2X12W SQ MODEL (W/B BODY) ALU CAST.RECTANGLE	12W 300mA PHILIPXS2	155X77	162X83	85			
2	2X12W SPARKLE MODEL (BLACK BODY +BLACK WHITE BORDER) ALU CASTING, RECTANGLE	12W 300mA PHILIPXS2	140X70	156X87	65			
3	2X12W SQ GIMBLE MODEL MOVABLE (WHITE/BLACK BODY) ALU CAST.RECTANGLE	12W 300mA PHILIPXS2	170X85	185X100	65			

17. NAMAN CYLINDER SURFACE COB SPOT LIGHT



1	7W RG REFLECTOR +BLACK BODY, ALU CAST.RD	6W 150mA PHILIPS	-	50	70			
2	12W RG REFLECTOR +BLACK BODY, ALU CAST.RD	12W 300mA PHILIPS	-	70	90			
3	18W RG REFLECTOR+BLACK BODY,ALU CAST,RD	18W 300mA PHILIPS	-	70	110			
4	10W SILVER REF+B/WHITE BODY ALU CAST, RD	8W 200mA PHILIPS	-	70	140			
5	15W SILVER REF+B/W BODY, ALU CASTING, RD	12W 300mA PHILIPS	-	70	140			
6	20W SILVER REF + B/W BODY, ALU CASTING, RD	18W 300mA PHILIPS	-	70	140			
7	20W SILVER REF + B/W BODY, BIG,ALU CAST., RD	18W 300mA PHILIPS	-	90	150			
8	25W SILVER REF + B/W BODY,ALU CASTING, RD		-	90	150			
9	30W SILVER REF + B/W BODY, ALU CASTING, RD	30W 700mA PHILIPS	-	90	150			
10	50W SILVER REF + B/W BODY, ALU CASTING, RD	50W 750mA PHILIPS	-	110	180			

18. NAMAN COB SURFACE SPOT LIGHT



1	3W SLIM STRIKER SMD (METAL), MS, SQ/RD	DOB	-	60	10			
2	3W SLIM STRIKER SMS (BIG PVC), PVC, RD,	DOB	-	70	10			
3	3W COB (IP65) (B/W BODY), ALU CAST. RD	DOB	-	60	10			
4	4W BIG COB SURFACE, ALU CASTING, RD	DOB	-	65	25			
5	5W COB WITH LENS, ALU CASTING, RD	IMPORTED	-	75	20			

19. NAMAN COB ZOOM LIGHT



1	30W(6"X9") SMD, ALU CASTING, RECTANGLE	30W 700mA POTTED	220X130	235X145	100			
2	50W(6"X9") SMD, ALU CASTING, RECTANGLE	50W 750mA POTTED	220X130	235X145	100			
3	20W RD, ALU CASTING, RD	20W 500mA	120	130	75			
4	25W RD, ALU CASTING, RD	25W 600mA	120	130	75			
5	30W RD, ALU CASTING, RD	30W 700mA POTTED	140	160	100			
6	50W RD, ALU CASTING, RD	50W 750mA POTTED	180	190	135			
7	30W SQ (WIPRO TYPE), ALU CASTING, RD	30W 700mA POTTED	115	145	130			
8	50W SQ(WIPRO TYPE), ALU CASTING, RD	50W 750mA POTTED	130	170	130			

20. NAMAN COB ADJUSTABLE LIGHT



1	7W PULLOUT BAMBOO, ALU CASTING, RD	PHILIPS 6W 150mA	55	65	75			
2	12W PULLOUT BAMBOO, ALU CASTING, RD	PHILIPS 12W 300mA	75	85	100			
3	18W PULLOUT BAMBOO, ALU CASTING, RD	PHILIPS 18W 300mA	95	110	130			
4	12W ROUND SEMI RECESSED, ALU CAST, RD	PHILIPS 12W 300mA	75	85	40			
5	12W ROUND SURFACE, ALU CASTING, RD	PHILIPS 12W 300mA	-	80	100			



The Trend of Lighting

NAMAN LUMINARIES INDIA


(B) NAMAN LED PANEL LIGHT & DOWN LIGHT

1. NAMAN SLIM LED PANEL LIGHT (EDGE LIT)



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	8W, ALU CASTING, SQ/RD	95	110	20	-	-	-
2	9W, ALU CASTING SQ/RD	100	120	20			
3	12W, ALU CASTING, SQ/RD	135	150	20			
4	15W, ALU CASTING SQ/RD	150	170	20			
5	18W, ALU CASTING, SQ/RD	175	190	20			
6	22W, ALU CASTING, SQ/RD	200	220	20			
7	24W, ALU CASTING, SQ/RD	285	300	20			
8	30W, ALU CASTING, SQ	285	300	20			
9	12W, LX TYPE (1 X 11W)	285X95	295X100	20			
10	30W, LX TYPE (1 X 36W)	495X135	510X150	20			
11	30W, LX TYPE (2 X 36W)	505X205	530X225	20			

2. NAMAN DEEP LED RIMLESS DOWNLIGHT (BACKLIT)




1	8W, ALU CASTING SQ	100	110	55			
2	8W, ALU CASTING, RD	110	120	55			
3	12W ALU CASTING SQ	100	110	55			
4	12W ALU CASTING, RD	110	120	55			
5	18W ALU CASTING, SQ	135	145	60			
6	18W, ALU CASTING RD	145	155	60			
7	22W, ALU CASTING, SQ	160	170	60			
8	22W, ALU CASTING, RD	165	175	60			

3. NAMAN FLAT RM LED DOWNLIGHT (BACKLIT)



1.	8W, ALU CASTING, SQ/RD	100	120	35			
2.	12W, ALU CASTING, SQ/RD	125	145	35			
3.	18W, ALU CASTING, SQ/RD	150	170	35			
4.	22W, ALU CASTING, SQ/RD	175	195	35			

4. NAMAN SKY LED DOWNLIGHT (ONE PC)(BACKLIT)



1.	8W, PC HOUSING, SQ/RD	100	115	35			
2	15W, PC HOUSING, SQ/RD	150	165	35			
3	22W, PC HOUSING, SQ/RD	200	220	35			

5. NAMAN GLOW LED PANEL LIGHT (ONE PC)(EDGE LIT)



1.	8W, PC HOUSING, SQ/RD	100	115	35			
2.	12W, PC HOUSING, SQ/RD	135	150	35			
3.	15W, PC HOUSING, SQ/RD	150	175	35			
4.	22W, PC HOUSING, SQ/RD	200	215	35			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(B) NAMAN LED PANEL LIGHT & DOWN LIGHT

6 NAMAN SURFACE LED PANEL LIGHT (EDGE LIT)




NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	8W, CASTING + MS, SQ/RD	-	100	30			
2	12W, CASTING + MS, SQ/RD	-	125	30			
3	15W, CASTING + MS, SQ/RD	-	150	30			
4	22W, CASTING + MS, SQ/RD	-	200	30			
5	30W, CASTING + MS, SQ	-	300	30			

7. NAMAN DRUM TYPE SURFACE LED DOWN LIGHT (BACKLIT)



1	12W, ALU CASTING, RD	-	90	65			
2	18W, , ALU CASTING, RD	-	110	65			
3	24W, ALU CASTING, RD	-	150	65			

8. NAMAN RIMLESS SURFACE DOWN LIGHT (BACKLIT)



1.	12/15W, ALLUMINIUM, RD	-	120	35			
2.	18W, ALLUMINIUM, RD	-	140	35			
3.	24W, ALLUMINIUM, RD	-	175	35			

9. NAMAN BORDERLESS SURFACE LED PANEL LIGHT (BACKLIT DOB)



1.	8W, PC HOUSING, SQ/RD	-	90	25			
2.	15W, PC HOUSING, SQ/RD	-	120	25			
3.	20W, PC HOUSING, SQ/RD	-	155	25			

10. NAMAN 2X2 FITTING (DEEP DRAW)



1.	30W, ALU HOUSING, SQ	600X600	575X575	35			
2.	36W, ALU HOUSING, SQ	600X600	575X575	35			
3.	48W, ALU HOUSING, SQ	600X600	575X575	35			
4.	TOGGLE SET (4PC)	-	-	-			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(C) NAMAN LED BATTEN

1 NAMAN LED BATTEN



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	5W (1FT), PC HOUSING	-	-	-			
2	10W (2FT), PC HOUSING	-	-	-			
3	15W (3FT), PC HOUSING	-	-	-			
4	20W(4FT), PC HOUSING	-	-	-			
5	24W (4FT), PC HOUSING	-	-	-			
6	20W (4FT), ALU HOUSING	-	-	-			
7	18W (2FT), ALU HOUSING	-	-	-			
8	36W (4FT), ALU HOUSING	-	-	-			

NOTE : SENSOR BATTEN ALSO AVAILABLE

(D) NAMAN LED TRACK LIGHT


1. NAMAN CYLINDER COB TRACK LIGHT



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	10W	-	-	-			
2	15W	-	-	-			
3	20W	-	-	-			
4	30W	-	-	-			
5	50W	-	-	-			
6	1 MTR TRACK CHANNEL	-	-	-			
7	2 MTR TRACK CHANNEL	-	-	-			
8	I JOINTER	-	-	-			
9	L JOINTER	-	-	-			

(E) NAMAN LED CLEAN ROOM FITTING (DUST PROOF)

1. NAMAN CLEAN ROOM LED FITTING



	PRODUCT, COLOR, MATERIAL	FRAME TPE	DIMENSION(mm)			LIST PRICE
			CO	OUTER	HEIGHT	
1	24W BOTTOM OPENING (1X1), MS BODY	WHITE PC OR SS302	275 MM	300MM	75MM	POR
2	36W BOTTOM OPENING (2X2), MS BODY	WHITE PC OR SS302	575 MM	600MM	75MM	POR
3	24W TOP OPENING (1X1), MS BODY	WHITE PC OR SS302	275MM	300MM	75MM	POR
4	36W TOP OPENING (2X2), MS BODY	WHITE PC OR SS302	575MM	600MM	75MM	POR




The Trend of Lighting

NAMAN LUMINARIES INDIA

(F) NAMAN MAGNETIC LED PROFILE LIGHT


1. MAGNETIC LED PROFILE LIGHT

NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	MAGNETIC PROFILE SYSTEM (48V)	-	-	-			



2. MAGNETIC TRACK CHANNEL

1	1 MTR(CONCEALED/SURFACE)(CO 25MM)	1000	55	45			
2	2 MTR(CONCEALED/SURFACE)(CO 25MM)	2000	55	45			
3	3 MTR(CONCEALED/SURFACE)(CO 25MM)	3000	55	45			



3. MAGNETIC LINEAR LIGHTS (48V)

1.	10W	225	22	45			
2.	10W / 18W	300	22	45			
3.	20W / 30W	600	22	45			
4.	30W	900	22	45			
5.	40W	1200	22	45			



4. MAGNETIC LASER SPOT LIGHT (48V)

1.	6W	110	22	45			
2	12W	220	22	45			
3	18W	330	22	45			



5. MAGNETIC LASER ADJUSTABLE SPOT LIGHT (48V)

1.	6W	110	22	45			
2.	12W	220	22	45			



6. MAGNETIC TRACK SPOT LIGHT(48V)

1.	7 W	110	22	45			
2	12 W	110	22	45			
3	15 W	110	22	45			





The Trend of Lighting

NAMAN LUMINARIES INDIA

(F) NAMAN MAGNETIC LED PROFILE LIGHT

7. MAGNETIC INTEGRATED POWER SUPPLY (48V)



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE		
		CO	OUTER	HEIGHT	SINGLE COLOUR	3 IN 1 BY SWITCH	CCT BY REMOTE
1	100 W (48V)	185	22	45			
2	200 W (48V)	250	22	45			

8. MAGNETIC EXTERNAL POWER SUPPLY (48V)



1	100 W (48V)	145	50	25			
2	200 W (48V)	215	50	25			

9. ACCESSORIES



1.	MAGNETIC TRACK L JOINTER(RECESSED)						
2.	MAGNETIC TRACK L JOINTER(SURFACE)						
3.	EXTERNAL POWER CONNECTOR						
4.	STRAIGHT MODULE (POWER BETWEEN 2 PROFILE)						
5.	CORNER MODULE (POWER BETWEEN 2 PROFILE IN CORNER)						
6.	HANGING KIT						



The Trend of Lighting

NAMAN LUMINARIES INDIA

(G) NAMAN LINEAR LED HANGING PROFILE LIGHT

1. LINEAR LED HANGING AND SURFACE PROFILE LIGHT




NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE
		LENGTH	WIDTH	HEIGHT	
1	18W(BLACK/WHITE BODY), ALU+DIFFUSER	2 FEET	50 OR 35MM	70MM	
2	36W (BLACK/WHITE BODY), ALU+DIFFUSER	4 FEET	50 OR 35MM	70MM	
3	48W (BLACK/WHITE BODY), ALU+DIFFUSER	6 FEET	50 OR 35MM	70MM	
4	72W (BLACK/WHITE BODY), ALU+DIFFUSER	8 FEET	50 OR 35MM	70MM	
5	90W (BLACK/WHITE BODY), ALU+DIFFUSER	10 FEET	50 OR 35MM	70MM	
6	120W (BLACK/WHITE BODY), ALU+DIFFUSER	12 FEET	50 OR 35MM	70MM	

2. ROUND DONET & DRUM



1	24W (BLACK BODY), ALU + DIFFUSER	300MM	50MM	70MM	
2	36W (BLACK BODY), ALU + DIFFUSER	450MM	50MM	70MM	
3	48W (BLACK BODY), ALU + DIFFUSER	600MM	50MM	70MM	

3. HEXAGONE DONET & DRUM




1	24W (BLACK BODY), ALU + DIFFUSER	300MM	50MM	70MM	
2	36W (BLACK BODY), ALU + DIFFUSER	450MM	50MM	70MM	
3	48W (BLACK BODY), ALU + DIFFUSER	600MM	50MM	70MM	

4. TRIANGLE DONET & DRUM



1	24W (BLACK BODY), ALU + DIFFUSER	600MM	50MM	70MM	
2	48W (BLACK BODY), ALU + DIFFUSER	900MM	50MM	70MM	

5. SQUARE DONET & DRUM



1	24W (BLACK BODY), ALU + DIFFUSER	300X300MM	50MM	70MM	
2	36W (BLACK BODY), ALU + DIFFUSER	600X600MM	50MM	70MM	

6. RECTANGLE DONET & DRUM



1	40W (BLACK BODY), ALU + DIFFUSER	300X300MM	50MM	70MM	
2	48W (BLACK BODY), ALU + DIFFUSER	300X1200MM	50MM	70MM	



The Trend of Lighting








NAMAN LUMINARIES INDIA

(H) NAMAN LED PROFILE/STRIP/ROPE/SILICON FLEX LIGHT


1. NAMAN ALUMINIUM PROFILE

NO.	PRODUCT, COLOR, MATERIAL	LENGTH	DIMENSION(mm)			LIST PRICE
			CO	OUTER	HEIGHT	
	5MM/6MM, CC/SF, SILVER, ALU+DIFFUSER	2 MTR	5MM	12MM	8MM	
	8MM/10MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	10MM	14MM	12MM	
	11MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	11MM	14MM	6MM	
	14MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	14MM	18MM	8MM	
	17MM (45 GM) CC/SF, SILVER, ALU+DIFFUSER	2 MTR	17MM	25MM	6MM	
	17MM (90 GM) HEAVY CC/SF, SILVER, ALU+DIFFUSER	2 MTR	17MM	25MM	6MM	
	17MM HIGH DEEP CC/SF, SILVER, ALU+DIFFUSER	2 MTR	17MM	25MM	15MM	
	17MM BENDABLE SF, SILVER, ALU+DIFFUSER	2 MTR	-	17MM	5MM	
	16MM CORNER SF, SILVER, ALU+DIFFUSER	2 MTR	-	16MM	16MM	
	25MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	23 MM	30MM	10MM	
	35MMX12MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	35 MM	42 MM	12MM	
	35MMX20MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	35MM	45MM	20MM	
	35MM X35MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	35MM	42MM	35MM	
	50MMX12MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	50MM	60MM	12MM	
	50MM X 20MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	50MM	65MM	20MM	
	50MM X 35MM CC/SF, SILVER, ALU+DIFFUSER	2 MTR	50MM	65MM	35MM	







2. NAMAN LED DIRECT PROFILE (WITH ALU PCB INSIDE)

	12" (1FT)-5W, CC/SF, SILVER, ALU+DIFFUSER	1 FT	17MM	25MM	6MM	
	24" (2FT)- 10W, CC/SF, SILVER, ALU+DIFFUSER	2 FT	17MM	25MM	6MM	
	36" (3FT)- 15W, CC/SF, SILVER, ALU+DIFFUSER	3 FT	17MM	25MM	6MM	
	48" (4FT) -20W, CC/SF, SILVER, ALU+DIFFUSER	4 FT	17MM	25MM	6MM	
	60" (5FT)-25W, CC/SF, SILVER, ALU+DIFFUSER	5 FT	17MM	25MM	6MM	
	72" (6FT)-30W, CC/SF, SILVER, ALU+DIFFUSER	6 FT	17MM	25MM	6MM	
	CUSTOMISED SIZE (6" TO 96") CC/SF, SILVER, ALU+DIFFUSER	CUSTOMISED	17MM	25MM	6MM	






3. NAMAN LED STRIP (12V/24V)

	2835 120 LED/MTR 5MM PCB (12W/MTR)	5 MTR ROLL	WHITE WW / NW BLUE/RED GREEN R/G/B	CUTTING AFTER 3 OR 6 LED ON CUTTING MARK & 12V/24V SMPS REQUIRED	
	2835 180 LED/MTR 5MM PCB (18W/MTR)	5 MTR ROLL			
	2835 120 LED/MTR 8MM PCB (12W/MTR)	5 MTR ROLL			
	2835 180 LED/MTR 10MM PCB (18W/MTR)	5 MTR ROLL			
	2835 180 LED/MTR 10MM PCB 3 IN 1,	5 MTR ROLL			
	2835 240 LED/MTR 10MM PCB 3 IN 1	5 MTR ROLL			
	2835 240 LED/MTR 10 MM PCB (24W/MTR)	5 MTR ROLL			
	5050 60 LED/MTR 10 MM RGB	5 MTR ROLL			
	3535 120 LED/MTR 10 MM RGB	5 MTR ROLL			

4. NAMAN ROPE LIGHT (IP 65)

	3014 108 LED /MTR ROPE LIGHT (Ip65),	100 MTR ROLL	WHITE WW/NW/ BLUE/RED GREEN R/G/B	CUTTING ON EVERY 1 MTR TO START ONLY CORD REQUIRED	
	CORD FOR 3014 ROPE,				
	2835 120 LED/MTR ROPE LIGHT (IP65)	50 MTR ROLL			
	CORD FOR 2835 ROPE				
	5050 60 LED/MTR ROPE LIGHT (IP65) RGB	50 MTR ROLL			
	RGB CORD				

5. NAMAN LED SILICON FLEX LIGHT (Ip65)

	08X08MM-5MM LED STRIP (12V/24V)	SILICON 50MTR ROLL	WHITE WW / NW	CUSTOMISED LENGTH & 12V/24V SMPS REQUIRED	
	10X10MM-5MM LED STRIP (12V/24V)	SILICON 50MTR ROLL			
	12X12MM-5-8MM LED STRIP (12V/24V)	SILICON 50MTR ROLL			
	14X14MM-5-8MM LED STRIP (12V/24V)	SILICON 50MTR ROLL			
	16MMX16MM- 8-10MM LED STRIP (12V/24V)	SILICON 50MTR ROLL			



The Trend of Lighting

NAMAN LUMINARIES INDIA

(I) NAMAN LED STRIP SMPS & DRIVER & PCB

1. NAMAN STRIP SMPS



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE
		LENGTH	WIDTH	HEIGHT	
1	12V/2 AMP 24W, ALUMINIUM	105	30	20	
2	12V / 3AMP 36W, ALUMINIUM	105	30	20	
3	12V / 5 AMP 60W, ALUMINIUM	170	50	25	
4	12V / 8.5 AMP 100W, ALUMINIUM	195	50	25	
5	12V / 10 AMP 120W, ALUMINIUM	225	50	25	
6	12V / 12.5 AMP 150W, ALUMINIUM	250	50	25	
7	12V / 17 AMP 200W, ALUMINIUM	310	50	25	
8	12V / 20 AMP, 240W, ALUMINIUM	310	50	25	
9	12V / 25 AMP 300W, ALUMINIUM	310	50	25	
10	12V / 33 AMP 400W, ALUMINIUM	310	50	25	
11.	24V/1 AMP 24W, ALUMINIUM	135	35	25	
12	24V / 1.5 AMP 36W, ALUMINIUM	135	35	25	
13	24V / 2.5 AMP 60W, ALUMINIUM	175	35	25	
14	24V/ 5 AMP 120W, ALUMINIUM	140	50	25	
15	24V / 6.25 AMP, 150W, ALUMINIUM	200	50	25	
16	24V / 8.3 AMP , 200W ALUMINIUM	200	50	25	
17	24V / 10 AMP 240W, ALUMINIUM	250	50	25	
18	24V / 12.5 AMP 300W, ALUMINIUM	200	65	25	
19	24V / 16.6 AMP 400W, ALUMINIUM	225	65	25	

2. NAMAN LED DRIVER



1	8W-24W 300mA (20V-72V), PVC	-	-	-	
2	30W 600mA (40V-60V) IP65, ALUMINIUM	-	-	-	
3	30W 700mA (40V-60V) IP65, ALUMINIUM	-	-	-	
4	50W 750mA (48V-85V)IP65, ALUMINIUM	-	-	-	
5	8W-24W 300MA 3IN1, PVC	-	-	-	
6	12W 300mA TIGIDIGITAL DRIVER TUNABLE, PVC	-	-	-	
7	18W 300mA TIGIDIGITAL DRIVER TUNABLE, PVC	-	-	-	
8	36W 900mA DRIVER (FOR 2X2), PVC	-	-	-	
9	50W 1200mA DRIVER (FOR 2X2), PVC	-	-	-	
10	3W 300mA PHILIPS DRIVER, PVC	-	-	-	
11	6W 150mA PHILIPS DRIVER, PVC	-	-	-	
12	12W 300mA PHILIPS DRIVER, PVC	-	-	-	
13	18W 300mA PHILIPS DRIVER, PVC	-	-	-	

3. NAMAN LED PCB / COB



1	8W PANEL, FLEXIBLE	-	-	-	
2	12W PANEL, FLEXIBLE	-	-	-	
3	15W PANEL, FLEXIBLE	-	-	-	
4	18W PANEL, FLEXIBLE	-	-	-	
5	22W PANEL, FLEXIBLE	-	-	-	
6	24W STREET/FLOOD, ALU+COPPER	-	-	-	
7	30W STREET/FLOOD, ALU+COPPER	-	-	-	
8	36W STREET/FLOOD, ALU+COPPER	-	-	-	
9	50W STREET/FLOOD, ALU+COPPER	-	-	-	
10	100W STREET/FLOOR, ALU+COPPER	-	-	-	
11	150W STREET/FLOOD, ALU+COPPER	-	-	-	
12	200W STREET/FLOOD, ALU+COPPER	-	-	-	
13	4W COB CHIP	-	-	-	
14	7W COB CHIP	-	-	-	
15	12W COB CHIP	-	-	-	



The Trend of Lighting

NAMAN LUMINARIES INDIA

(J) NAMAN LED HIGHBAY & WELL GLASS

1. NAMAN LED HIGHBAY LIGHT WITH GLASS OR PC LENS



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION(mm)			LIST PRICE
		REGULAR BODY	ECO BODY	ALU REFLECTOR (EXTRA)	
1	30W, ALU CASTING + GLASS OR LENS	-	185X50	-	
2	50W, ALU CASTING + GLASS OR LENS	230X60	185X50	-	
3	100W, ALU CASTING + GLASS OR LENS	-	230X60	-	
4	100W JALI TYPE, ALU CASTING + GLASS OR LENS	-	290X100	-	
5	150W, ALU CASTING + GLASS OR LENS	320X70	230X60	-	
6	150W JALI TYPE, ALU CASTING + GLASS OR LENS	-	290X100	-	
7	200W, ALU CASTING + GLASS OR LENS	370X85	320X70	-	
8	250W, ALU CASTING + GLASS OR LENS	-	320X70	-	
9	300W, ALU CASTING + GLASS OR LENS	-	370X85	-	

2. NAMAN LED WELL GLASS WITH ACRYLIC



1	30W, ALU CASTING	185X50	125X150	-	
2	50W, ALU CASTING	185X50	125X150	-	
3	100W, ALU CASTING	230X60	-	-	
4	150W, ALU CASTING	230X60	-	-	
5	200W, ALU CASTING	320X70	-	-	

3. NAMAN LED UFO Highbay LIGHT WITH 5050 LED



1	50W, ALU CASTING	185X50	-	-	
2	100W, ALU CASTING	230X60	-	-	
3	150W, ALU CASTING	320X70	-	-	
4	200W, ALU CASTING	320X70	-	-	

4. NAMAN LED LINEAR HIGHBAY & STADIUM FLOOD LIGHT WITH 5050 LED & LENS



1	50W, ALU CASTING (1 MODULE)	205X115X40	-	-	
2	100W, ALU CASTING (2 MODULE)	410X115X40	-	-	
3	150W, ALU CASTING (3 MODULE)	615X115X40	-	-	
4	200W, ALU CASTING (4 MODULE)	820X115X40	-	-	
5	300W, ALU CASTING (6 MODULE)	410X345X40	-	-	
6	400W, ALU CASTING (8 MODULE)	410X460X40	-	-	
7	500W, ALU CASTING (10 MODULE)	410X575X40	-	-	



The Trend of Lighting

NAMAN LUMINARIES INDIA

(K) NAMAN LED STREET LIGHT (IP65)

1. NAMAN LED STREET LIGHT (GLASS MODEL)



NO.	PRODUCT, COLOR, MATERIAL	PIPE DIA		DIMENSION(mm)		LIST PRICE
		REGULAR	ECO	REGULAR	ECO	
1	15 W, ALU CASTING + GLASS	38	38	-	250X75X45	
2	24 W, ALU CASTING + GLASS	45	38	-	300X90X50	
3	30 W, ALU CASTING + GLASS	45	45	-	340X125X65	
4	36 W, ALU CASTING + GLASS	45	45	-	340X125X65	
5	50 W, ALU CASTING + GLASS	48	45	390X160X75	370X135X65	
6	72 W, ALU CASTING + GLASS	-	48	-	390X160X75	
7	100 W, ALU CASTING + GLASS	48	48	-	410X180X75	
8	120W W, ALU CASTING + GLASS	-	48	-	-	
9	150 W, ALU CASTING + GLASS	58	48	-	430X200X75	
10	200 W, ALU CASTING + GLASS	80	58	-	530X260X80	

2. NAMAN NEW LANCY LED STREET LIGHT (LENS MODEL)



NO.	PRODUCT, COLOR, MATERIAL	PIPE DIA		DIMENSION(mm)		LIST PRICE
		REGULAR	ECO	REGULAR	ECO	
1	18 W, ALU CASTING + PC LENS	40	40	-	-	
2	24 W, ALU CASTING + PC LENS	40	40	100X255X55	-	
3	30 W, ALU CASTING + PC LENS	40	40	-	110X280X45	
4	36 W, ALU CASTING + PC LENS	45	45	125X300X55	-	
5	50 W, ALU CASTING + PC LENS	45	45	145X350X55	130X345X45	
6	72 W, ALU CASTING + PC LENS	45	45	165X395X45	-	
7	100 W, ALU CASTING + PC LENS	45	45	165X395X45	-	
8	150 W, ALU CASTING + PC LENS	65	65	195X480X70	-	

3. NAMAN NEW RAFEL LED STREET LIGHT



NO.	PRODUCT, COLOR, MATERIAL	PIPE DIA		DIMENSION(mm)		LIST PRICE
		REGULAR	ECO	REGULAR	ECO	
1	24 W, ALU CASTING + PC LENS	45	45	275X115X58	-	
2	36 W, ALU CASTING + PC LENS	45	45	315X135X58	-	
3	50 W, ALU CASTING + PC LENS	50	50	342X165X65	-	
4	100 W, ALU CASTING + PC LENS	60	60	422X212X75	-	
5	150 W, ALU CASTING + PC LENS	60	60	422X212X75	-	

4. NAMAN NEW JALI TYPE LED STREET



NO.	PRODUCT, COLOR, MATERIAL	PIPE DIA		DIMENSION(mm)		LIST PRICE
		REGULAR	ECO	REGULAR	ECO	
1	50 W, ALU CASTING + PC LENS	48	48	110X245X65	-	
2	100 W, ALU CASTING + PC LENS	58	58	175X275X80	-	
3	150 W, ALU CASTING + PC LENS	60	60	245X400X100	-	
4	200 W, ALU CASTING + PC LENS	60	60	245X400X100	-	

5. NAMAN LED STREET LIGHT BRACKET



NO.	PRODUCT, COLOR, MATERIAL	PIPE DIA		DIMENSION(mm)		LIST PRICE
		REGULAR	ECO	REGULAR	ECO	
1	6", MS, 45 DEGREE					
2	9", MS, 45 DEGREE					
3	12" MS, 45 DEGREE					
4	ADJUSTABLE BRACKET, PC					

1,2,3

4



The Trend of Lighting

NAMAN LUMINARIES INDIA

(L) NAMAN LED FLOOD LIGHT (IP65)

1. NAMAN DC (DOWN CHOKE) LED FLOOD LIGHT



1 DC ECO



2 GM ECO



3 SHARP


NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION (MM)			LIST PRICE
		1 ROUND DC ECO	2 SQ GM ECO	3 SHARP	
1	20W, ALU CASTING+GLASS	-	-	-	
2	30W, ALU CASTING+GLASS	165X165X45	-	175X175X40	
3	50W, ALU CASTING+GLASS	215X205X60	200X215X50	205X205X50	
4	60W, ALU CASTING+GLASS	215X205X60	-	-	
5	72W, ALU CASTING+GLASS	215X205X60	-	-	
6	100W, ALU CASTING+GLASS	270X245X70	235X260X50	250X260X55	
7	120W, ALU CASTING+GLASS	-	-	-	
8	150W, ALU CASTING+GLASS	305X285X70	275X290X60	280X280X60	
9	200W, ALU CASTING+GLASS	345X325X80	320X320X60	315X335X60	
10	250W, ALU CASTING+GLASS	345X325X80	375X385X70	-	
11	300W, ALU CASTING+GLASS	415X370X80	375X385X70	-	
12	400W, ALU CASTING+GLASS	415X370X80	375X385X70	-	
13	400W, ALU CASTING+GLASS BIG	-	465X500X70	-	

2. NAMAN DC (DOWN CHOKE) LED FLOOD LIGHT WITH LENS



NO.	PRODUCT, MATERIAL, SHAPE	REGULAR	ECO	LIST PRICE
		1	30W, ALU CASTING + PC LENS	
2	50W, ALU CASTING + PC LENS	175X220X40	160X195X40	
3	100W, ALU CASTING + PC LENS	225X285X40	200X255X40	
4	150W, ALU CASTING + PC LENS	260X315X45	225X285X40	
5	200W, ALU CASTING + PC LENS	300X375X45	260X315X45	

3. NAMAN BC (BACK CHOKE) LED FLOOD LIGHT



NO.	PRODUCT, MATERIAL, SHAPE	REGULAR	ECO	LIST PRICE
		1	30W, ALU CASTING + GLASS	
2	50W, ALU CASTING + GLASS	245X180X65	210X150X60	
3	72W, ALU CASTING + GLASS	245X180X65	210X150X60	
4	100W, ALU CASTING + GLASS	295X240X70	245X180X65	
5	150W, ALU CASTING + GLASS	345X250X75	295X240X70	
6	200W, ALU CASTING + GLASS	390X300X80	345X250X75	
7	250W, ALU CASTING + GLASS	390X300X80	-	
8	300W, ALU CASTING + GLASS	500X340X80	390X300X80	
9	400W, ALU CASTING + GLASS	500X340X80	390X300X80	
10	500W, ALU CASTING + GLASS	600X400X170	-	



The Trend of Lighting

NAMAN LUMINARIES INDIA

(M) NAMAN BOLLARD (WITH B22/E27 HOLDER) (IP65)

1. SQUARE BOLLARD



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		PIPE DIA (MM)	BODY COLOUR	ACRYLIC	
1	300 MM, ALUMINIUM + PC	90X90	GRAPHITE GREY	MILKY	
2	600 MM, ALUMINIUM + PC	90X90	GRAPHITE GREY	MILKY	
3	900 MM, ALUMINIUM + PC	90X90	GRAPHITE GREY	MILKY	

2. ROUND BAMBOO BOLLARD



1	300 MM, ALUMINIUM + PC	75 X 75	GRAPHITE GREY	CLEAR/MILKY	
2	600 MM, ALUMINIUM + PC	75 X 75	GRAPHITE GREY	CLEAR/MILKY	
3	900MM, ALUMINIUM + PC	75 X 75	GRAPHITE GREY	CLEAR/MILKY	

3. OVAL BOLLARD

PIPE DIA - 85



1	450 MM ALUMINIUM + PC	TOP DIA 170	GRAPHITE GREY	CLEAR/MILKY	
2	600 MM ALUMINIUM + PC	TOP DIA 170	GRAPHITE GREY	CLEAR/MILKY	
3	900 MM ALUMINIUM + PC	TOP DIA 170	GRAPHITE GREY	CLEAR/MILKY	

4. SQ PYRAMID BOLLARD

PIPE DIA - 85X85



FLAT TAPERED

1	450 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
2	600 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
3	900 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
1	500 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
2	650 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
3	950 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	

5. ROUND FLOWER BAMBOO BOLLARD

PIPE DIA - 85



FLAT TAPERED

1	450 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
2	600 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
3	900 MM, ALUMINIUM + PC (FLAT)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
1	500 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
2	650 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	
3	950 MM, ALUMINIUM + PC (TAPERED)	TOP DIA 220	GRAPHITE GREY	CLEAR/MILKY	

6. ROUND SLEEK BOLLARD

PIPE DIA - 85



FLAT TAPERED

1	300 MM ALUMINIUM + PC (FLAT)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	
2	600 MM ALUMINIUM + PC (FLAT)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	
3	900 MM ALUMINIUM + PC (FLAT)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	
1	325 MM ALUMINIUM + PC (TAPERED)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	
2	625 MM ALUMINIUM + PC (TAPERED)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	
3	925MM ALUMINIUM + PC (TAPERED)	TOP DIA 110	GRAPHITE GREY	CLEAR/MILKY	

NOTE : 12W LED PCB & DRIVER CAN BE ADDED




The Trend of Lighting

NAMAN LUMINARIES INDIA

(N) NAMAN LED BOLLARD (IP65)

1. 12W SQ LED BOLLARD



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		PIPE DIA (MM)	BODY COLOUR	ACRYLIC	
1	300 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	
2	600 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	
3	900 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	

2. 12W ROUND LED BOLLARD



1	300 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	
2	600 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	
3	900 MM, ALUMINIUM	85 X 85	GRAPHITE GREY	CLEAR	

3. 12W FOUR PILLAR LED BOLLARD



1	300 MM, ALUMINIUM CAST	90 X 90	GRAPHITE GREY		
2	600 MM, ALUMINIUM CAST	90 X 90	GRAPHITE GREY		
3	900 MM, ALUMINIUM CAST	90 X 90	GRAPHITE GREY		

4. 12W THREE PILLAR LED BOLLARD



1	300 MM, ALUMINIUM CAST	100 X 100	GRAPHITE GREY		
2	600 MM, ALUMINIUM CAST	100 X 100	GRAPHITE GREY		
3	900 MM, ALUMINIUM CAST	100 X 100	GRAPHITE GREY		

5. 12W SNAKE LED BOLLARD



1	600 MM, ALUMINIUM	80 X 50	GRAPHITE GREY	LENS TYPE	
2	900 MM, ALUMINIUM	80 X 50	GRAPHITE GREY	LENS TYPE	



(N) NAMAN LED BOLLARD (IP65)

6. 12W CURVE SNAKE LED BOLLARD



NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		PIPE DIA (MM)	BODY COLOUR	ACRYLIC	
1	600 MM, ALUMINIUM	80 X 50	GRAPHITE GREY	LENS TYPE	
2	900 MM, ALUMINIUM	80 X 50	GRAPHITE GREY	LENS TYPE	

7. 12W 7 TYPE LED BOLLARD



1	750 MM, ALUMINIUM	80 X 50	GRAPHITE GREY	LENS TYPE	
---	-------------------	---------	---------------	-----------	--

8. 12W RECTANGULAR LED BOLLARD



1	300 MM ALUMINIUM		GRAPHITE GREY	LENS TYPE	
2	600MM ALUMINIUM		GRAPHITE GREY	LENS TYPE	
3	900 MM ALUMINIUM		GRAPHITE GREY	LENS TYPE	

9. 12W RING LED BOLLARD -

PIPE DIA - 60



1	300 MM, GI + ALU RING	TOP DIA - 150	GRAHITE GREY	MILKY	
2	600 MM, GI + ALU RING	TOP DIA - 150	GRAHITE GREY	MILKY	
3	900 MM, GI + ALU RING	TOP DIA - 150	GRAHITE GREY	MILKY	

10. 20 W PYRAMID LED BOLLARD-

PIPE DIA - 75



1	300 MM, ALUMINIUM + PC	TOP DIA 200	BLACK	CLEAR	
2	600 MM, ALUMINIUM + PC	TOP DIA 200	BLACK	CLEAR	
3	900 MM, ALUMINIUM + PC	TOP DIA 200	BLACK	CLEAR	



The Trend of Lighting

NAMAN LUMINARIES INDIA

(N) NAMAN LED BOLLARD(IP65)

11. 20 W HERITAGE SERIES LED BOLLARD FLOWER




NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		PIPE DIA (MM)	BODY COLOUR	ACRYLIC	
1	300 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	
2	450 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	
3	600 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	
4.	800 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	

12. 20W HERITAGE SERIES LED BOLLARD SLEEK



1	350 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	
2	650 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	
3	950 MM, ALUMINIUM + PC		GRAPHITE GREY	MILKY	

13. 12W NEW CURVE BOLLARD



1	600 MM, ALUMINIUM + PC	290 X 90	BLACK	MILKY	
---	------------------------	----------	-------	-------	--

14. 12W NEW BOLLARD



1	600 MM, ALUMINIUM + PC	170 X 115	BLACK	MILKY	
---	------------------------	-----------	-------	-------	--



The Trend of Lighting

NAMAN LUMINARIES INDIA

(O) NAMAN LED POLE LIGHT (IP65)

1. ALU & GI POLE	
	400 MM RING DIA - 50W (PIPE DIA 60MM)
	500 MM RING DIA - 100 W (PIPE DIA 75 MM)
	SIDE PIPE POST TOP
	CENTRE PIPE POST TOP
60 MM & 75 MM POLE DIA	
2. ALU & GI POLE	
	50W POST TOP
	300MM SIDE PIPE POST TOP DIA (PIPE DIA 60MM)
	350MM CENTRE PIPE POST TOP DIA (PIPE DIA - 60MM)
	60 MM POLE DIA
3. ALU & GI POLE	
	350 MM POST TOP DIA - 36W (PIPE DIA - 60MM)
	60 MM POLE DIA
4. ALU & GI POLE	
	500 MM POST TOP DIA -36W (PIPE DIA 75MM)
	75 MM POLE DIA
	114 & 75 MM POLE DIA



The Trend of Lighting

NAMAN LUMINARIES INDIA

(O) NAMAN LED POLE LIGHT (IP65)

5. ALU & GI POLE



325 MM POST TOP DIA - 50W (PIPE DIA 60MM)
60 MM POLE DIA

6. ALU & GI POLE



450 MM POST TOP DIA - 50W (PIPE DIA 75 MM)
75 MM POLE DIA
114 MM & 75 MM POLE DIA

7. ALU & GI POLE



50 W POST TOP
60 MM POLE DIA
114 MM & 60MM POLE DIA

8. ALU & GI POLE



50 W POST TOP
75 MM POLE DIA
114 MM & 75MM POLE DIA



The Trend of Lighting

NAMAN LUMINARIES INDIA


(O) NAMAN LED POLE LIGHT (IP65)

9. ALU & GI POLE



50W/100W POST TOP
525 MM POST TOP DIA (PIPE DIA 38MM)
114 MM X 60 MM POLE DIA

10. GI POLE




50W LENS MODULE
100X100 MM POLE DIA
100X50 MM POLE DIA

11. GI POLE



50W LENS MODULE
100X100 MM POLE DIA
100X50 MM POLE DIA

12. ALU & GI & PC POLE



75 MM POLE DIA
100 MM POLE DIA




The Trend of Lighting

NAMAN LUMINARIES INDIA


(P) NAMAN LED POST TOP (IP 65)

1.




NO.	MATERIAL	BODY COLOUR	WATT	DIMENSION(mm)			LIST PRICE
				PIPE DIA	DIA	HEIGHT	
1.	ALUMINIUM CENTRE RING	GREY	36W	60	400	300	
2.	ALUMINIUM CENTRE RING	GREY	50W	60	400	300	
3.	ALUMINIUM CENTRE RING	GREY	100W	75	500	400	

2.




1.	ALUMINIUM SIDE RING	GREY	50W	60	475	100	
----	---------------------	------	-----	----	-----	-----	--

3.



1.	ALUMINIUM HALF RING	GREY	36W	60	350	200	
----	---------------------	------	-----	----	-----	-----	--

4.



1.	ALUMINIUM	GREY	50W	60	325	450	
----	-----------	------	-----	----	-----	-----	--

5.



1.	ALUMINIUM	BLACK	36W	75	500	425	
----	-----------	-------	-----	----	-----	-----	--

6.




1.	ALUMINIUM	BLACK	36W	75	500	425	
----	-----------	-------	-----	----	-----	-----	--



(P) NAMAN LED POST TOP (IP 65)


7.

LIST PRICE



NO.	MATERIAL	BODY COLOUR	WATT	DIMENSION(mm)			
				PIPE DIA	DIA	HEIGHT	
1.	ALUMINIUM CENTRE PIPE	GREY	50W	60	350	100	

8.



1.	ALUMINIUM SIDE PIPE	GREY	50W	60	300	200	
----	---------------------	------	-----	----	-----	-----	--

9.




1.	ALUMINIUM	GREY	50W	75	450	650	
----	-----------	------	-----	----	-----	-----	--

10.




1.	ALUMINIUM	BLACK	50W	38	525	450	
2.	ALUMINIUM	BLACK	100W	38	525	450	

11.



1.	ALUMINIUM	BLACK	50W	38	500	400	
----	-----------	-------	-----	----	-----	-----	--

12.



1.	ALUMINIUM	BLACK	50W	60	500	700	
----	-----------	-------	-----	----	-----	-----	--



The Trend of Lighting

NAMAN LUMINARIES INDIA

(Q) NAMAN LED WALL LIGHT OUTDOOR & INDOOR

1. NAMAN LED OUTDOOR WALL LIGHT (IP65)

1.



NO.	PRODUCT	BODY COLOUR	LED COLOUR	MATERIAL	LIST PRICE
1.	2X1 W SMALL BALL 2 WAY	BLACK	WW(3K)	ALU CASTING	
2.	2X3 W BIG BALL 2 WAY	BLACK	WW(3K)	ALU CASTING	
3.	4X1 W SMALL BALL 4 WAY	BLACK	WW(3K)	ALU CASTING	
4.	4X1 W BIG BALL 4 WAY	BLACK	WW(3K)	ALU CASTING	

2.



1.	2X3 FULL K TYPE 2 WAY	BLACK	WW(3K)	ALU CASTING	
2.	3W HALF K TYPE 1 WAY	BLACK	WW(3K)	ALU CASTING	

3.




1.	2X5 W CYLINDER 2 WAY	BLACK	WW(3K)	ALU CASTING	
2.	2X9W CYLINDER 2 WAY	BLACK	WW(3K)	ALU CASTING	
2.	5W CYLINDER 1 WAY	BLACK	WW(3K)	ALU CASTING	

4.




1.	2X3W SMALL RECT. 2 WAY	BLACK	WW(3K)	ALU CASTING	
----	------------------------	-------	--------	-------------	--

5.



1.	4X1W SQ 4WAY (NARROW BEAM)	BLACK	WW(3K)	ALU CASTING	
----	----------------------------	-------	--------	-------------	--

6.



1.	1X1W 2 WAY 2W	BLACK	WW(3K)	ALU CASTING	
2.	2X1W 2WAY 4W	BLACK	WW(3K)	ALU CASTING	
3.	3X1W 2WAY 6W	BLACK	WW(3K)	ALU CASTING	
4.	4X1 W 2WAY 8W	BLACK	WW(3K)	ALU CASTING	



The Trend of Lighting


NAMAN LUMINARIES INDIA


(Q) NAMAN LED WALL LIGHT OUTDOOR & INDOOR


1. NAMAN LED OUTDOOR WALL LIGHT (IP65)


	NO.	PRODUCT	BODY COLOUR	LED COLOUR	MATERIAL	LIST PRICE
7.  	1.	12W DECORATIVE WALL LIGHT SIZE : 290X90X(H)100MM	BLACK	WW(3K)	ALU+PC	

8.  	1.	12W DECORATIVE WALL LIGHT SIZE : 435 X 110 X (H) 240MM	BLACK	WW(3K)	ALU+PC	



9. 	1.	12W DECORATIVE WALL LIGHT SIZE : 135X130X(H) 180 MM	BLACK	WW(3K)	ALU+PC	

10. 	1.	12W DECORATIVE WALL LIGHT SIZE 180X(H) 280 MM	BLACK	WW(3K)	ALU+PC	

11. 	1.	12W DECORATIVE WALL LIGHT SIZE : 80X110X(H) 110 MM	BLACK	WW(3K)	ALU+PC	

12. 	1.	12W DECORATIVE WALL LIGHT SIZE : 80X(H) 110MM	BLACK	WW(3K)	ALU+PC	

2. NAMAN CYLINDER TYPE INDOOR WALL LIGHT (LX135)

 	1	6W	WHITE	WW(3K)	ALUMINIUM	
	2	9W	WHITE	WW(3K)	ALUMINIUM	
	3	16W	WHITE	WW(3K)	ALUMINIUM	



(R) NAMAN GATE LIGHT (IP65)

1. NAMAN GATE LIGHT(FOR PARAPET WALL) (WITH B-22 HOLDER)

NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		SIZE(MM)	INSTALLATION	ACRYLIC	

1. SQUARE GATE LIGHT

1	SQUARE GATE LIGHT, PC+ALU, PIPE DIA-85	220X225(H)	PARAPET WALL	CLEAR/MILKY	
2	SQ TEMPERED GATE LIGHT, PC+ALU, PIPE DIA 85	220X275(H)	PARAPET WALL	CLEAR/MILKY	



2. FLOWER GATE LIGHT

1	FLOWER GATE LIGHT, PC+ALU, PIPE DIA 85	220X225(H)	PARAPET WALL	CLEAR/MILKY	
2	TEMPERED FLOWER GATE, PC+ALU, PIPE DIA 85	220X235(H)	PARAPET WALL	CLEAR/MILKY	



3. OVAL GATE LIGHT

1	OVAL GATE LIGHT, PC+ALU, PIPE DIA 85	170X230(H)	PARAPET WALL	CLEAR/MILKY	
---	--------------------------------------	------------	--------------	-------------	--



4. HERITAGE GATE LIGHT

1	SMALL, ALU + GLASS	350X190	PARAPET WALL		
2	BIG, ALU+GLASS	450X260	PARAPET WALL		



5. TEMPLE GATE LIGHT

1	6"X6" SQ, ALU DIE CAST	150X150X160	PARAPET WALL	MILKY	
2	8"X8" SQ, ALU DIE CAST	200X200X225	PARAPET WALL	MILKY	





The Trend of Lighting

NAMAN LUMINARIES INDIA

(R) NAMAN GATE LIGHT (IP65)

2. NAMAN GATE LIGHT (FOR PIPE)(WITH B22 HOLDER)

	NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
			SIZE(MM)	INSTALLATION	ACRYLIC	
1. GOLA						
	1.	DIA-8", PVC	200	PIPE	MILKY	
	2.	DIA-10" PVC	250	PIPE	MILKY	
	3.	DIA-12", PVC	300	PIPE	MILKY	
	4.	DIA-15", PVC	375	PIPE	MILKY	
	5.	BIG BASE, PVC		PIPE ID - 60		
	6.	SMALL BASE, PVC		PIPE ID - 50		
2. DIAMOND						
	1.	DIA-8", PVC	200	PIPE	MILKY	
	2.	DIA-10" PVC	250	PIPE	MILKY	
	3.	DIA-12", PVC	300	PIPE	MILKY	
	4.	DIA-15", PVC	375	PIPE	MILKY	
3. PMMA PRISMATIC LINING & PC PRISMATIC LINING (UNBREAKABLE)						
	1.	DIA-6", PMMA & PC	150	PIPE	CLEAR LINING	
	2.	DIA-8", PMMA & PC	200	PIPE	CLEAR LINING	
	3.	DIA-10", PMMA & PC	250	PIPE	CLEAR LINING	
	4.	DIA-12", PMMA & PC	300	PIPE	CLEAR LINING	
4. BLACK TOPSY, PVC BASE+ACRYLIC+ALU TOP						
 <p>12"Milki Black Topsy 18"Milki Black Diamond</p>	1.	DIA 12", PVC BASE	300	PIPE ID-60	CLEAR/MILKY	
	2.	DIA 18", CASTING BASE	450	PIPE ID-75	CLEAR/MILKY	
5. LITE HOUSE, PVC BASE + ACRYLIC + ALU. TOP						
 <p>12"Milki Lite House 18"Milki Lite House</p>	1.	DIA 12", PVC BASE	300	PIPE ID-60	CLEAR/MILKY	
	2.	DIA 18", CASTING BASE	450	PIPE ID-75	CLEAR/MILKY	
6. LINER LITE HOUSE (LOTUS) PVC BASE + ACRYLIC + ALU TOP						
 <p>12"CFL Liner Lite Hous 18"CFL Liner Lite House</p>	1.	DIA 12", PVC BASE	300	PIPE ID-60	CLEAR/MILKY	
	2.	DIA 18", CASTING BASE	450	PIPE ID-75	CLEAR/MILKY	
7. HERITAGE GATE LIGHT						
	1.	SMALL, ALU+GLASS	350X200	PIPE ID-60MM		
	2.	BIG, ALU+GLASS	500X250	PIPE ID-70MM		



NAMAN LUMINARIES INDIA

(S) NAMAN LED GATE LIGHT (IP65)

(1) NAMAN LED GATE LIGHT (FOR PARAPET WALL & PIPE)

NO.	PRODUCT, MATERIAL, SHAPE	DIMENSION			LIST PRICE
		SIZE(MM)	INSTALLATION	ACRYLIC	
1. SQ LED GATE LIGHT					
1,2	1. 15W SQ INFINITY, PC	125X125X175	PIPE ID -65	CLEAR	
3,4	2. 20W SQ INFINITY, PC	175X175X225	PIPE ID-80	CLEAR	
	3. 15W SQ, INFINITY, PYRAMID, PC	125X125X190	PARAPET WALL	CLEAR	
	4. 20W SQ, INFINITY, PYRAMID, PC	175X175X260	PARAPET WALL	CLEAR	



2. ROUND LED GATE LIGHT

1	1. 20W ROUND DYNA, PC	200X200X215	PIPE-ID 80	CLEAR	
2	2. 20W ROUND DYNA PYRAMID, PC	200X200X250	PARAPET WALL	CLEAR	




3. MONALISA LED GATE LIGHT

1,2,3	1. 20W MONALISA	250X250X300	PIPE-ID 80	CLEAR	
	2. 36W MONALISA	250X250X340	PIPE-ID 60	CLEAR	
	3. 15W MONALISA	175X175X240	PIPE ID 65	CLEAR	
4	4. 15W MONALISA PYRAMID	175X175X225	PARAPET WALL	CLEAR	




4.

	1. 7W GATE LIGHT, ALU CAST	W-120 / H-100	PARAPET WALL	MILKY	
--	----------------------------	---------------	--------------	-------	--




5.

	1. 7W ROUND LED GATE LIGHT, ALU CAST	W-110 / H-100	PARAPET WALL	MILKY	
--	--------------------------------------	---------------	--------------	-------	--



6.

	1. 7W SQ LED CUBE GATE LIGHT, ALU CAST	W-120/H-80	PARAPET WALL	MILKY	
--	--	------------	--------------	-------	--





NAMAN LUMINARIES INDIA

The Trend of Lighting

(T) NAMAN LED AVIATION/SPIKE/BULKHEAD/FOOT/INDGROUND/UNDERWATER/WALL WASHER LIGHT (IP65)

1. NAMAN LED AVIATION LIGHT (BAJAJ TYPE) (TYPE B)



1



2

NO.	PRODUCT	MATERIAL	DETAILS	PROTECTION	LIST PRICE
1	10W SINGLE (302 LED)	CASTING + PC COVER	LOW INTENCITY	IP65	
2	20W DOUBLE(604 LED)	CASTING + PC COVER	LOW INTENCITY	IP65	
3	10W SINGLE WITH BLINKER CIRCUIT (302 LED)	CASTING + PC COVER	LOW INTENCITY	IP65	
4	20W DOUBLE WITH BLINKER CIRCUIT (604 LED)	CASTING + PC COVER	LOW INTENCITY	IP65	

2. NAMAN LED SPIKE / GARDEN LIGHT



1

2

3

1	7W	ALU CASTING	WITH DRIVER	IP65	
2	12W	ALU CASTING	WITH DRIVER	IP65	
3	15W	ALU CASTING	WITH DRIVER	IP65	

3. NAMAN LED PILLAR HIGHLIGHTER



1

1	15W	ALU CASTING	WITH DRIVER	IP65	
---	-----	-------------	-------------	------	--

4. NAMAN LED BULK HEAD



1



2




3, 4

1	10W (GREY BODY)	PC	WITH DRIVER	IP65	
2	10W(WHITE BODY)	PC	WITH DRIVER	IP65	
3	9W (FULL ACRYLIC)	PVC	DOB	IP65	
4	18W (FULL ACRYLIC)	PVC	DOB	IP65	


5. NAMAN LED FOOT LIGHT



1



2



3

1	4W (GREY BODY)	ALU CASTING	SURFACE	IP65	
2	8W (GREY BODY)	ALU CASTING	SURFACE	IP65	
3	3W (WHITE & BLACK BODY) LX 525	ALUMINIUM	CONCEALED	IP65	



(T) NAMAN LED AVIATION/SPIKE/BULKHEAD/FOOT/INDGROUND/UNDERWATER/WALL WASHER LIGHT (IP65)

6. NAMAN LED INGROUND / UPLIGHT (IP68)12V - SMPS EXTRA



NO.	PRODUCT	MATERIAL	DETAILS	PROTECTION	LIST PRICE
1	1W (INPUT 12V)	CASTING+ PVC COVER	INGROUND	IP68	
2	3W (INPUT 12V)	CASTING+ PVC COVER	INGROUND	IP68	
3	6W (INPUT 12V)	CASTING+ PVC COVER	INGROUND	IP68	
4	9W (INPUT 12V)	CASTING+ PVC COVER	INGROUND	IP68	
5.	12W (INPUT 12V)	CASTING+ PVC COVER	INGROUND	IP68	

7. NAMAN LED CONCEALED UNDERWATER LIGHT (IP68) 12V - SMPS EXTRA



1	3W (INPUT 12V)	ALU CASTING	CONCEALED	IP68	
2	6W (INPUT 12V)	ALU CASTING	CONCEALED	IP68	
3	9W (INPUT 12V)	ALU CASTING	CONCEALED	IP68	
4	12W (INPUT 12V)	ALU CASTING	CONCEALED	IP68	

8. NAMAN LED SURFACE UNDERWATER LIGHT (IP68) 12V - SMPS EXTRA



1	3W (INPUT 12V)	ALU CASTING	SURFACE	IP68	
2	6W (INPUT 12V)	ALU CASTING	SURFACE	IP68	
3	9W (INPUT 12V)	ALU CASTING	SURFACE	IP68	
4	12W (INPUT 12V)	ALU CASTING	SURFACE	IP68	

9. NAMAN LED FOUNTAIN LIGHT (WITH BRACKET)(IP 68) 12V - SMPS EXTRA



1	3W (INPUT 12V)	ALU CASTING	BRACKET LIGHT	IP68	
2	6W (INPUT 12V)	ALU CASTING	BRACKET LIGHT	IP68	
3	9W (INPUT 12V)	ALU CASTING	BRACKET LIGHT	IP68	
4	12W (INPUT 12V)	ALU CASTING	BRACKET LIGHT	IP68	

10. NAMAN LED WALL WASHER (WITH LENS) IP65



1.	9W - 1 FEET	ALU CASTING	WALL HIGHLIGHTER	IP65	
2.	18W - 2 FEET	ALU CASTING	WALL HIGHLIGHTER	IP65	
3.	27W - 3 FEET	ALU CASTING	WALL HIGHLIGHTER	IP65	
4.	36W - 4 FEET	ALU CASTING	WALL HIGHLIGHTER	IP65	
5.	33W - 1 MTR	ALU CASTING	WALL HIGHLIGHTER	IP65	

NOTE : 12 V INPUT ALSO AVAILABLE



The Trend of Lighting

**MFG. & SUPPLIERS OF
ALL KINDS OF LED INDOOR LIGHT, OUTDOOR LIGHT, POLE LIGHT,
STRIP & PROFILE LIGHT, HANGING LIGHT, WALL LIGHT,
GATE LIGHT, BOLLARD LIGHT**



OFFICE & SHOWROOM

**OFFICE NO.20, GROUND FLOOR,
NEO PLAZA, RAMCHANDRA LANE,
OPP. KAPOL BANQUET HALL,
MALAD (WEST), MUMBAI - 400064.**

TERMS & CONDITION :

- This catalogue / price list supersedes our earlier catalogue / price list.
- The Company reserves the right to change the catalogue / price list without prior notice
- Care has been taken to ensure that the information contained within is correct
- Photograph shown here in are indicative. specification can be changed without prior notice. as led is a dynamic & evolving technology
- Given lumens are calculated by considering white led source, it may differ for other colour
- This catalogue has been totally designed to help you more easily to select the NAMAN luminaries india range of products to meet your requirement and specification.
- All dimension are in millimeter (mm)